



SmartCharge 4A

Item number: 701515

SmartCharge 4A

Portable battery charger

A very userfriendly battery charger who is solving most of the charging jobs at home, in your caravan or your boat and for more professional jobs. SmartCharge represents the latest technology within battery charging which will give the battery optimum life.

Use

Take time to read the user manual and follow the instructions before using the charger!

Functions

- Backlit user friendly interface and display
- Adapts automatically to the size of your battery
- A meter to easily read the actual power level of your battery
- Integrated cable management
- It will never over-charge your battery
- Temperature compensated charging cycle



Specifications

Item number	701515
Input voltage	230, 50-60 VAC, Hz
Charge power, max	60 W
Inverse current	< 1 mA
Output voltage	14,4/14,7 VDC
Operating temperature	-40 ~ +40°C
Cooling	Air
Type of batteries	All types of lead/acid, AGM and GEL, open and closed.
Battery size	12/2-110 V/Ah
IP rating	IP 65
Isolation class	cl II
L/W/H	Charger: 210x90x54 mm (LxWxH) Box: 252x102x55 mm (LxBxH) Volume: 1,41 dm ³
Weight, brutto	735 g
Certifications	EN60335-1, EN60355-2-29, EN 61204-3, EN61000-3-3, EN61000-3-2 DEFA AS is conforming to the requirements ISO 9001, ISO 14001 and ISO 45001. In addition to this, our engine heaters and cables are conforming to the requirements of IATF 16949.
Packaging	Single pack only. A variety of SmartCharge accessories are available.